





























	PRIMA Senza lampadina Without bulb Attacco lampadina E27 Bulb base								BASE PRIMA/OPERA 											
CD.	1846-GM				1846-BO				1847-GM				1847-BO							
PR.	CHF 113 E				CHF 113 E				CHF 57 E				CHF 57 E							
CL.	GM				BO				GM				BO							
DS.	Struttura e riflettore grigio metallizzato Metal grey frame and shade Structure et couverture grise métal Estructura y pantalla gris metalizado Alufarbener Struktur und Leuchtenkopf				Struttura e riflettore bianco opaco Mat white frame and shade Structure et couverture blanc mat Estructura y pantalla blanco mate Mattweiß Struktur und Leuchtenkopf				Base per lampade: Base for ref.: Base pour lampes: Base para lámparas: Tischfuß für Leuchte: 1846-GM/1846-BO//1864-OP/1864-TV/1864-TRO/1864-TB/1864-GM/ 1864-BOP/1864-BTV/1864-BTRO/1864-BTB											
Lampada a incandescenza 230V-60W max o fluorescente a risparmio energetico max 12W L. max. lampadina 110 mm. - Incandescent lamp 230V-60W max or compact energy saving fluorescent max. 12W, max. length of the bulbs 110 mm - Lampe à incandescence 230V-60W max ou fluorescente compacte max 12W, longueur max. de l'ampoule 110 mm - Lampara incandescente 230V-60W max o fluorescente de ahorro energético max. 12W L. max.longitud de la bombilla 110 mm - Leuchte 230V-60W max (weissglühend) oder Energiesparlampe max. 12W, maximale Glühbirnenlänge 110 mm																				
	OPERA Senza lampadina Without bulb Attacco lampadina E27 Bulb base								Struttura grigio metallizzato Metal grey frame Structure grise métal Estructura gris metalizado Alufarbener Struktur											
CD.	1864-OP				1864-TV				1864-TRO				1864-TB				1864-GM			
PR.	CHF 122 E				CHF 122 E				CHF 122 E				CHF 122 E				CHF 139 E			
CL.	OP				TV				TRO				TB				GM			
DS.	Riflettore bianco opalino Opaline white shade Couverture blanc opalin Pantalla blanco traslúcido 2. Leuchtenkopf weiss				Riflettore verde opalino Opaline green shade Couverture vert opalin Pantalla verde traslúcido Leuchtenkopf grün				Riflettore rosso opalino Opaline red shade Couverture rouge opalin Pantalla verde traslúcido 4. Leuchtenkopf rot				Riflettore blu opalino Opaline blue shade Couverture bleu opalin Pantalla azul traslúcido Leuchtenkopf blau				Riflettore grigio metallizzato Metal grey shade Couverture grise métal Pantalla gris metalizado Alufarbener Leuchtenkopf			
Lampada a incandescenza 230V-60W max o fluorescente a risparmio energetico max 12W L. max. lampadina 110 mm. - Incandescent lamp 230V-60W max or compact energy saving fluorescent max. 12W, max. length of the bulbs 110 mm - Lampe à incandescence 230V-60W max ou fluorescente compacte max 12W, longueur max. de l'ampoule 110 mm - Lampara incandescente 230V-60W max o fluorescente de ahorro energético max. 12W L. max.longitud de la bombilla 110 mm - Leuchte 230V-60W max (weissglühend) oder Energiesparlampe max. 12W, maximale Glühbirnenlänge 110 mm																				
	OPERA Senza lampadina Without bulb Attacco lampadina E27 Bulb base								Struttura bianco opaco Mat white frame Structure blanc mat Estructura blanco mate Mattweiß Struktur											
CD.	1864-BOP				1864-BTV				1864-BTRO				1864-BTB							
PR.	CHF 122 E				CHF 122 E				CHF 122 E				CHF 122 E							
CL.	OP				TV				TRO				TB							
DS.	Riflettore bianco opalino Opaline white shade Couverture blanc opalin Pantalla blanco traslúcido 2. Leuchtenkopf weiss				Riflettore verde opalino Opaline green shade Couverture vert opalin Pantalla verde traslúcido Leuchtenkopf grün				Riflettore rosso opalino Opaline red shade Couverture rouge opalin Pantalla verde traslúcido 4. Leuchtenkopf rot				Riflettore blu opalino Opaline blue shade Couverture bleu opalin Pantalla verde traslúcido 5. Leuchtenkopf blau							
Lampada a incandescenza 230V-60W max o fluorescente a risparmio energetico max 12W L. max. lampadina 110 mm. - Incandescent lamp 230V-60W max or compact energy saving fluorescent max. 12W, max. length of the bulbs 110 mm - Lampe à incandescence 230V-60W max ou fluorescente compacte max 12W, longueur max. de l'ampoule 110 mm - Lampara incandescente 230V-60W max o fluorescente de ahorro energético max. 12W L. max.longitud de la bombilla 110 mm - Leuchte 230V-60W max (weissglühend) oder Energiesparlampe max. 12W, maximale Glühbirnenlänge 110 mm																				
ECOFEE: DIRETTIVA RAEE, contributo per lo smaltimento delle apparecchiature elettriche ed elettroniche: E= 0,12 € / L = 0,16 €																				

	<p>MEGA Variatore di intensità luminosa With dimmer</p>  <p>Lampada alogena 230V/12V - 50W max Halogen lamp 230V/12V - 50W max Lampe halogène 230V/12V - 50W max Lámpara halógena 230V/12V - 50W max Halogenlampe 230V/12V - 50W max</p>		
CD.	1842-GM		1842-T
PR.	CHF 295 E+L		CHF 295 E+L
CL.	GM		GM
DS.	Riflettore grigio metallizzato Metal grey shade Couverture grise métal Pantalla gris metalizado Alufarbener Leuchtenkopf		Riflettore trasparente Transparent shade Couverture transparente Pantalla transparente Transparenter Leuchtenkopf
	<p>MEGA LED</p>  <p>Lampada LED 240V/6V LED lamp 240V/6V Lampe LED 240V/6V Lámpara LED 240V/6V LED Lampe 240V/6V</p>		
CD.			1843-S
PR.			CHF 374 E+L
CL.			GM
DS.			Riflettore trasparente Transparent shade Couverture transparente Pantalla transparente Transparenter Leuchtenkopf
	<p>CALYPSO Variatore di intensità luminosa With dimmer</p> 		<p>PICA Doppia intensità luminosa Double light intensity</p> 
CD.	1844-GM		1824
PR.	CHF 264 E+L		CHF 271 E+L
CL.	GM		N
DS.	Lampada alogena 230V/12V - 50W max Halogen lamp 230V/12V - 50W max Lampe halogène 230V/12V - 50W max Lámpara halógena 230V/12V - 50W max Halogenlampe 230V/12V - 50W max		Lampada alogena 230V/12V - 50W max Halogen lamp 230V/12V - 50W max Lampe halogène 230V/12V - 50W max Lámpara halógena 230V/12V - 50W max Halogenlampe 230V/12V - 50W max
ECOFEE: DIRETTIVA RAEE, contributo per lo smaltimento delle apparecchiature elettriche ed elettroniche: E= 0,12 € / L = 0,16 €			

<p>CITY Variatore di intensità luminosa With dimmer</p>  <p>185 cm ø 30 cm</p> <p>1710-GA</p>	<p>LOFT Variatore di intensità luminosa With dimmer</p>  <p>185 cm ø 30 cm</p> <p>1711-C</p>	
<p>CD. CHF 880 E+L</p>	<p>CHF 715 E+L</p>	
<p>CL. GA</p>	<p>C</p>	
<p>DS. Lampada alogena 230V-300W max Halogen lamp 230V-300W max Lampe halogène 230V-300W max Lámpara halógena 230V-300W max Halogenlampe 230V-300W max</p>	<p>Lampada alogena 230V-250W max Halogen lamp 230V-250W max Lampe halogène 230V-250W max Lámpara halógena 230V-250W max Halogenlampe 230V-250W max</p>	
<p>BATTISTA</p>  <p>180 cm ø 32 cm</p> <p>1714-GA</p>	<p>BATTISTA Senza lampadine Without bulbs</p> <p>Attacco lampadina E14 Bulb base</p>  <p>175 cm ø 35,5 cm</p> <p>1712-GA</p>	
<p>PR. CHF 838 E+L</p>	<p>CHF 913 E</p>	
<p>CL. GA</p>	<p>GA</p>	
<p>DS. Lampada alogena 230V-250W max Halogen lamp 230V-250W max Lampe halogène 230V-250W max Lámpara halógena 230V-250W max Halogenlampe 230V-250W max</p>	<p>Lampada ad incandescenza 230V - 2x60W max Incandescent lamp 230V - 2x60W max Lampe à incandescence 230V - 2x60W max Lámpara de incandescencia 230V - 2x60W max Glühbirne 230V - 2x60W max</p>	
<p>BATTISTA Senza lampadine Without bulbs</p> <p>Attacco lampadina E14 Bulb base</p>  <p>56 cm ø 32 cm</p> <p>1851</p>	<p>BATTISTA Senza lampadina Without bulb</p> <p>Attacco lampadina E27 Bulb base</p>  <p>21 cm ø 26,5 cm H max. 150 cm</p> <p>1852</p>	<p>BATTISTA Senza lampadina Without bulb</p> <p>Attacco lampadina E27 Bulb base</p>  <p>28,5 cm ø 35,5 cm H max. 150 cm</p> <p>1853</p>
<p>CD. CHF 623 E</p>	<p>CHF 489 E</p>	<p>CHF 650 E</p>
<p>CL.</p>	<p></p>	<p></p>
<p>DS. Lampada ad incandescenza 230V - 2x60W max Incandescent lamp 230V - 2x60W max Lampe à incandescence 230V - 2x60W max Lámpara de incandescencia 230V - 2x60W max Glühbirne 230V - 2x60W max</p>	<p>Lampada ad incandescenza 230V-60W max Incandescent lamp 230V-60W max Lampe à incandescence 230V-60W max Lámpara de incandescencia 230V-60W max Glühbirne 230V-60W max</p>	<p>Lampada ad incandescenza 230V-60W max Incandescent lamp 230V-60W max Lampe à incandescence 230V-60W max Lámpara de incandescencia 230V-60W max Glühbirne 230V-60W max</p>
<p>ECOFEE: DIRETTIVA RAEE, contributo per lo smaltimento delle apparecchiature elettriche ed elettroniche: E= 0,12 € / L = 0,16 €</p>		

Senza lampadina Without bulb Sans ampoule Sin bombilla Ohne Birne Attacco lampadina E27 Bulb base		C 		B 		A 		A 		A 	
STRUTTURA - STRUCTURE - STRUCTURE - ESTRUCTURA - RAHMEN		Nera Black	Cromata Chrome-plated	Nera Black	Cromata Chrome-plated	Nera Black	Cromata Chrome-plated	Nera Black	Cromata Chrome-plated	Nera Black	Cromata Chrome-plated
ANELLI RINGS ANNEAUX ANILLOS RINGE 	Traslucido Traslucent Traslucide Traslúcido Transparent	1726/5-NT CHF 468 E	1726/5-CT CHF 588 E	1728/3-NT CHF 482 E	1728/3-CT CHF 729 E	1728/5-NT CHF 546 E	1728/5-CT CHF 793 E	1728/9-NT CHF 675 E	1728/9-CT CHF 922 E	1728/11-NT CHF 740 E	1728/11-CT CHF 987 E
	Rosso traslucido Traslucent red Rouge translucide Rojo traslúcido Transparent rot	1726/5-NR CHF 468 E	1726/5-CR CHF 588 E	1728/3-NR CHF 482 E	1728/3-CR CHF 729 E	1728/5-NR CHF 546 E	1728/5-CR CHF 793 E	1728/9-NR CHF 675 E	1728/9-CR CHF 922 E	1728/11-NR CHF 740 E	1728/11-CR CHF 987 E
	Nero Black Noir Negro Schwarz	1726/5-NN CHF 468 E	1726/5-CN CHF 588 E	1728/3-NN CHF 482 E	1728/3-CN CHF 729 E	1728/5-NN CHF 546 E	1728/5-CN CHF 793 E	1728/9-NN CHF 675 E	1728/9-CN CHF 922 E	1728/11-NN CHF 740 E	1728/11-CN CHF 987 E

Senza lampadina Without bulb Sans ampoule Sin bombilla Ohne Birne Attacco lampadina E27 Bulb base		C 		C 		Senza lampadina Without bulb Sans ampoule Sin bombilla Ohne Birne Attacco lampadina E27 Bulb base		C 		A 		C 	
STRUTTURA - STRUCTURE - STRUCTURE - ESTRUCTURA - RAHMEN		traslucida traslucent	traslucida traslucent	STRUTTURA - STRUCTURE - STRUCTURE - ESTRUCTURA - RAHMEN		Nera Black	Cromata Chrome-plated	Nera Black	Cromata Chrome-plated	traslucida traslucent			
ANELLI RINGS ANNEAUX ANILLOS RINGE 	Traslucido Traslucent Traslucide Traslúcido Transparent	1730/5-T CHF 240 E	1730/9-T CHF 369 E	ANELLI ALTERNATI ALTERNATE RINGS ANNEAUX ALTERNÉS ANILLOS ALTERNADOS ALTERNIERENDE RINGE 	TRASLUCIDO/NERO TRANSLUCENT/BLACK TRASLUCIDE/NOIR TRASLÚCIDO/NEGRO TRANSPARENT/SCHWARZ	1726/5-NTN CHF 468 E	1726/5-CTN CHF 588 E	1728/5-NTN CHF 546 E	1728/5-CTN CHF 793 E	1730/5-TN CHF 240 E			
	Rosso traslucido Traslucent red Rouge translucide Rojo traslúcido Transparent rot	1730/5-R CHF 240 E	1730/9-R CHF 369 E										
	Nero Black Noir Negro Schwarz	1730/5-N CHF 240 E	1730/9-N CHF 369 E										

A-Lampada a incandescenza o alogena 230V-150W max. o fluorescente a risparmio energetico max 30W L. max. lampadina 175 mm - Incandescent or halogen lamp 230V-150W max. or compact energy saving fluorescent max. 30W, max. length of the bulbs 175 mm.
 B-Lampada a incandescenza o alogena 230V-150W max. o fluorescente a risparmio energetico max 30W L. max. lampadina 130 mm - Incandescent or halogen lamp 230V-150W max. or compact energy saving fluorescent max. 30W, max. length of the bulbs 130 mm.
 C-Lampada a incandescenza 230V-60W max. o fluorescente a risparmio energetico max 30W L. max. lampadina 175 mm - Incandescent lamp 230V-100W max. or compact energy saving fluorescent max. 30W, max. length of the bulbs 175 mm.