


























Senza lampadina Without bulb Sans ampoule Sin bombilla Ohne Leuchtmittel Attacco lampadina E27 Bulb base		C 		B 		A 		A 		A 	
STRUTTURA - STRUCTURE - STRUCTURE - ESTRUCTURA - RAHMEN		Nera Black	Cromata Chrome-plated	Nera Black	Cromata Chrome-plated	Nera Black	Cromata Chrome-plated	Nera Black	Cromata Chrome-plated	Nera Black	Cromata Chrome-plated
ANELLI RINGS ANNEAUX ANILLOS RINGE 	Traslucido Traslucent Traslucide Traslúcido Transparent	1726/5-NT CHF 468 E	1726/5-CT CHF 588 E	1728/3-NT CHF 482 E	1728/3-CT CHF 729 E	1728/5-NT CHF 546 E	1728/5-CT CHF 793 E	1728/9-NT CHF 675 E	1728/9-CT CHF 922 E	1728/11-NT CHF 740 E	1728/11-CT CHF 987 E
	Rosso traslucido Traslucent red Rouge translucide Rojo traslúcido Transparent rot	1726/5-NR CHF 468 E	1726/5-CR CHF 588 E	1728/3-NR CHF 482 E	1728/3-CR CHF 729 E	1728/5-NR CHF 546 E	1728/5-CR CHF 793 E	1728/9-NR CHF 675 E	1728/9-CR CHF 922 E	1728/11-NR CHF 740 E	1728/11-CR CHF 987 E
	Nero Black Noir Negro Schwarz	1726/5-NN CHF 468 E	1726/5-CN CHF 588 E	1728/3-NN CHF 482 E	1728/3-CN CHF 729 E	1728/5-NN CHF 546 E	1728/5-CN CHF 793 E	1728/9-NN CHF 675 E	1728/9-CN CHF 922 E	1728/11-NN CHF 740 E	1728/11-CN CHF 987 E






Senza lampadina Without bulb Sans ampoule Sin bombilla Ohne Leuchtmittel Attacco lampadina E27 Bulb base		C 		C 	
STRUTTURA - STRUCTURE - STRUCTURE - ESTRUCTURA - RAHMEN		traslucida traslucent	traslucida traslucent		
ANELLI RINGS ANNEAUX ANILLOS RINGE 	Traslucido Traslucent Traslucide Traslúcido Transparent	1730/5-T CHF 240 E	1730/9-T CHF 369 E		
	Rosso traslucido Traslucent red Rouge translucide Rojo traslúcido Transparent rot	1730/5-R CHF 240 E	1730/9-R CHF 369 E		
	Nero Black Noir Negro Schwarz	1730/5-N CHF 240 E	1730/9-N CHF 369 E		

Senza lampadina Without bulb Sans ampoule Sin bombilla Ohne Leuchtmittel Attacco lampadina E27 Bulb base		C 		A 		C 	
STRUTTURA - STRUCTURE - STRUCTURE - ESTRUCTURA - RAHMEN		Nera Black	Cromata Chrome-plated	Nera Black	Cromata Chrome-plated	traslucida traslucent	
ANELLI ALTERNATI ALTERNATE RINGS ANNEAUX ALTERNÉS ANILLOS ALTERNADOS ALTERNIERENDE RINGE 	TRASLUCIDO/NERO TRANSLUCENT/BLACK TRANSLUCIDE/NOIR TRASLÚCIDO/NEGRO TRANSPARENT / SCHWARZ		1726/5-NTN CHF 468 E	1726/5-CTN CHF 588 E	1728/5-NTN CHF 546 E	1728/5-CTN CHF 793 E	1730/5-TN CHF 240 E

A-Lampada a incandescenza o alogena 230V-150W max. o fluorescente a risparmio energetico max 30W L. max. lampadina 175 mm - Incandescent or halogen lamp 230V-150W max. or compact energy saving fluorescent max. 30W, max. length of the bulbs 175 mm.
 B-Lampada a incandescenza o alogena 230V-150W max. o fluorescente a risparmio energetico max 30W L. max. lampadina 130 mm - Incandescent or halogen lamp 230V-150W max. or compact energy saving fluorescent max. 30W, max. length of the bulbs 130 mm.
 C-Lampada a incandescenza 230V-60W max. o fluorescente a risparmio energetico max 30W L. max. lampadina 175 mm - Incandescent lamp 230V-100W max. or compact energy saving fluorescent max. 30W, max. length of the bulbs 175 mm.

	<p>CITY</p> <p>Variatore di intensità luminosa With dimmer Mit Dimmer</p>  <p>185 cm ø 30 cm</p> <p>1710-GA</p>	<p>LOFT</p> <p>Variatore di intensità luminosa With dimmer Mit Dimmer</p>  <p>185 cm ø 30 cm</p> <p>1711-C</p>	<p>CLAIR</p> <p>Variatore di intensità luminosa With dimmer Mit Dimmer</p>  <p>179,5 cm ø 34 cm</p> <p>1719-BO</p>
CD.			
PR.	CHF 880 E+L	CHF 715 E+L	CHF 713 E+L
CL.	GA	C	BO
DS.	Lampada alogena 230V - 300W Halogen lamp 230V - 300W Lampe halogène 230V - 300W Lámpara halógena 230V - 300W Halogenlampe 230V - 300W	Lampada alogena 230V - 250W Halogen lamp 230V - 250W Lampe halogène 230V - 250W Lámpara halógena 230V - 250W Halogenlampe 230V - 250W	Lampada alogena 230V - 100W Halogen lamp 230V - 100W Lampe halogène 230V - 100W Lámpara halógena 230V - 100W Halogenlampe 230V - 100W
CD.	<p>BATTISTA</p>  <p>180 cm ø 32 cm</p> <p>1714-GA</p>	<p>BATTISTA</p> <p>Senza lampadine Without bulbs - Ohne Leuchtmittel</p> <p>Attacco lampadina E14 Bulb base</p>  <p>175 cm ø 35,5 cm</p> <p>1712-GA</p>	
PR.	CHF 838 E+L	CHF 913 E	
CL.	GA	GA	
DS.	Lampada alogena 230V - 250W Halogen lamp 230V - 250W Lampe halogène 230V - 250W Lámpara halógena 230V - 250W Halogenlampe 230V - 250W	Lampada ad incandescenza 230V - 2x60W Incandescent lamp 230V - 2x60W Lampe à incandescence 230V - 2x60W Lámpara de incandescencia 230 - 2x60W Glühbirne 230 - 2x60W	
CD.	<p>BATTISTA</p> <p>Senza lampadine Without bulbs - Ohne Leuchtmittel</p> <p>Attacco lampadina E14 Bulb base</p>  <p>56 cm ø 32 cm</p> <p>1851</p>	<p>BATTISTA</p> <p>Senza lampadine Without bulbs - Ohne Leuchtmittel</p> <p>Attacco lampadina E27 Bulb base</p>  <p>21 cm ø 26,5 cm H max. 150 cm</p> <p>1852</p>	<p>BATTISTA</p> <p>Senza lampadine Without bulbs - Ohne Leuchtmittel</p> <p>Attacco lampadina E27 Bulb base</p>  <p>28,5 cm ø 35,5 cm H max. 150 cm</p> <p>1853</p>
PR.	CHF 623 E	CHF 489 E	CHF 650 E
CL.			
DS.	Lampada ad incandescenza 230V - 2x60W Incandescent lamp 230V - 2x60W Lampe à incandescence 230V - 2x60W Lámpara de incandescencia 230 - 2x60W Glühbirne 230 - 2x60W		Lampada ad incandescenza 230V - 60W Incandescent lamp 230V - 60W Lampe à incandescence 230V - 60W Lámpara de incandescencia 230 - 60W Glühbirne 230 - 60W

<p>PRIMA Senza lampadine Without bulbs - Ohne Leuchtmittel</p> <p>Attacco lampadina E27 Bulb base</p> 		<p>BASE PRIMA/OPERA</p> <p>ø 22 cm</p> 			
CD.	1846-GM	1846-BO	1847-GM	1847-BO	
PR.	CHF 113 E	CHF 113 E	CHF 57 E	CHF 57 E	
CL.	GM	BO	GM	BO	
DS.	Struttura e riflettore grigio metallizzato Metal grey frame and shade Structure et couverture grise métal Estructura y pantalla gris metalizado Alufarbener Struktur und Leuchtenkopf	Struttura e riflettore bianco opaco Mat white frame and shade Structure et couverture blanc mat Estructura y pantalla blanco mate Mattweiß Struktur und Leuchtenkopf	Base per lampade: Base for ref.: Base pour lampes: Base para lámparas: Tischfuß für Leuchte:		
Lampada a incandescenza 230V-60W o fluorescente a risparmio energetico max 12W L. max. lampadina 110 mm. - Incandescent lamp 230V-60W or compact energy saving fluorescent max. 12W, max. length of the bulbs 110 mm - Lampe à incandescence 230V-60W ou fluorescente compacte max 12W, longueur max. de l'ampoule 110 mm - Lampara incandescente 230V-60W o fluorescente de ahorro energético max. 12W L. max.longitud de la bombilla 110 mm - Leuchte 230V-60W (weissglühend) oder Energiesparlampe max. 12W, maximale Glühbirnenlänge 110 mm					
<p>OPERA Senza lampadine Without bulbs - Ohne Leuchtmittel</p> <p>Attacco lampadina E27 Bulb base</p> 		<p>Struttura grigio metallizzato Metal grey frame Structure grise métal Estructura gris metalizado Alufarbener Struktur</p>			
CD.	1864-OP	1864-TV	1864-TRO	1864-TB	1864-GM
PR.	CHF 122 E	CHF 122 E	CHF 122 E	CHF 122 E	CHF 139 E
CL.	OP	TV	TRO	TB	GM
DS.	Riflettore bianco opalino Opaline white shade Couverture blanc opalin Pantalla blanco traslúcido Leuchtenkopf weiss	Riflettore verde opalino Opaline green shade Couverture vert opalin Pantalla verde traslúcido Leuchtenkopf grün	Riflettore rosso opalino Opaline red shade Couverture rouge opalin Pantalla verde traslúcido Leuchtenkopf rot	Riflettore blu opalino Opaline blue shade Couverture bleu opalin Pantalla azul traslúcido Leuchtenkopf blau	Riflettore grigio metallizzato Metal grey shade Couverture grise métal Pantalla gris metalizado Alufarbener Leuchtenkopf
Lampada a incandescenza 230V-60W o fluorescente a risparmio energetico max 12W L. max. lampadina 110 mm. - Incandescent lamp 230V-60W or compact energy saving fluorescent max. 12W, max. length of the bulbs 110 mm - Lampe à incandescence 230V-60W ou fluorescente compacte max 12W, longueur max. de l'ampoule 110 mm - Lampara incandescente 230V-60W o fluorescente de ahorro energético max. 12W L. max.longitud de la bombilla 110 mm - Leuchte 230V-60W (weissglühend) oder Energiesparlampe max. 12W, maximale Glühbirnenlänge 110 mm					
<p>OPERA Senza lampadine Without bulbs - Ohne Leuchtmittel</p> <p>Attacco lampadina E27 Bulb base</p> 		<p>Struttura bianco opaco Mat white frame Structure blanc mat Estructura blanco mate Mattweiß Struktur</p>			
CD.	1864-BOP	1864-BTV	1864-BTRO	1864-BTB	
PR.	CHF 122 E	CHF 122 E	CHF 122 E	CHF 122 E	
CL.	OP	TV	TRO	TB	
DS.	Riflettore bianco opalino Opaline white shade Couverture blanc opalin Pantalla blanco traslúcido Leuchtenkopf weiss	Riflettore verde opalino Opaline green shade Couverture vert opalin Pantalla verde traslúcido Leuchtenkopf grün	Riflettore rosso opalino Opaline red shade Couverture rouge opalin Pantalla verde traslúcido Leuchtenkopf rot	Riflettore blu opalino Opaline blue shade Couverture bleu opalin Pantalla verde traslúcido Leuchtenkopf blau	
Lampada a incandescenza 230V-60W o fluorescente a risparmio energetico max 12W L. max. lampadina 110 mm. - Incandescent lamp 230V-60W or compact energy saving fluorescent max. 12W, max. length of the bulbs 110 mm - Lampe à incandescence 230V-60W ou fluorescente compacte max 12W, longueur max. de l'ampoule 110 mm - Lampara incandescente 230V-60W o fluorescente de ahorro energético max. 12W L. max.longitud de la bombilla 110 mm - Leuchte 230V-60W (weissglühend) oder Energiesparlampe max. 12W, maximale Glühbirnenlänge 110 mm					

	<p>MEGA Variatore di intensità luminosa With dimmer Mit Dimmer</p>  <p>max 96 cm</p> <p>Lampada alogena 230V/12V - 50W Halogen lamp 230V/12V - 50W Lampe halogène 230V/12V - 50W Lámpara halógena 230V/12V - 50 W Halogenlampe 230V/12V - 50W</p>		
CD.	1842-GM	1842-T	1842-TRO
PR.	CHF 295 E+L	CHF 295 E+L	CHF 295 E+L
CL.	GM	GM	GM
DS.	Riflettore grigio metallizzato Metal grey shade Couverture grise métal Pantalla gris metalizado Alufarbener Leuchtenkopf	Riflettore trasparente Transparent shade Couverture transparente Pantalla transparente Transparenter Leuchtenkopf	Riflettore rosso trasparente Red transparent shade Couv. rouge transparente Pantalla rojo transparente Rot transparenter Leuchtenkopf
	<p>CALYPSO Variatore di intensità luminosa With dimmer Mit Dimmer</p>  <p>max 102 cm</p> <p>1844-GM</p>	<p>PICA Doppia intensità luminosa Double light intensity Doppelte Lichtstärke</p>  <p>70 cm</p> <p>1824</p>	
CD.	1844-GM	1824	
PR.	CHF 264 E+L	CHF 271 E+L	
CL.	GM	N	
DS.	Lampada alogena 230V/12V - 50W Halogen lamp 230V/12V - 50W Lampe halogène 230V/12V - 50W Lámpara halógena 230V/12V - 50 W Halogenlampe 230V/12V - 50W	Lampada alogena 230V/12V - 50W Halogen lamp 230V/12V - 50W Lampe halogène 230V/12V - 50W Lámpara halógena 230V/12V - 50 W Halogenlampe 230V/12V - 50W	
	<p>JOB Senza lampadine Without bulbs - Ohne Leuchtmittel</p> <p>Attacco lampadina E27 Bulb base</p>  <p>max 85 cm</p> <p>1848-GM *</p>	<p>MAGIA Variatore di intensità luminosa With dimmer Mit Dimmer</p>  <p>183±190 cm</p> <p>1706-C *</p>	
CD.	1848-GM *	1706-C *	
PR.	CHF 98 E	CHF 931 E+L	
CL.	GM	C	
DS.	Lampada a incandescenza 230V-60W o fluorescente a risparmio energetico max 12W L. max. lampadina 110 mm. Incandescent lamp 230V-60W or compact energy saving fluorescent max. 12W, max. length of the bulbs 110 mm Lampe à incandescence 230V-60W ou fluorescente compacte max 12W, longueur max. de l'ampoule 110 mm Lámpara incandescente 230V-60W o fluorescente de ahorro energético max. 12W L. max.longitud de la bombilla 110 mm Leuchte 230V-60W (weissglühend) oder Energiesparlampe max. 12W, maximale Glühbirnenlänge 110 mm	Lampada alogena 230V-150W Halogen lamp 230V-150W Lampe halogène 230V-150W Lámpara halógena 230V-150W Halogenlampe 230V-150W	